## ASSIGNMENT 1

Textbook Assignment: "Explosives and Pyrotechnics," chapter 1, pages 1-1 through 1-23.

- 1-1. What occurrence normally accompanies the rapid release of energy produced by an explosive chemical reaction?
  - 1. A fireball only
  - 2. A fireball and a rapid rise in temperature
  - 3. A rapid rise in pressure and a sonic blast
  - 4. A rapid rise in temperature and pressure
- 1-2. What factor causes the rapid release of energy experienced during an explosive chemical reaction?
  - 1. The explosive material changing into a gas
  - The increase in temperature caused by the expanding fireball
  - 3. The restraining property of the explosive container
  - 4. The huge vacuum created by the explosion
- 1-3. An explosive compound that decomposes extremely fast is categorized as what type of material?
  - 1. As a propellant
  - 2. As a low explosive
  - 3. As a high explosive
  - 4. As TNT
- 1-4 What term describes the instantaneous decomposition of an 1-11. explosive material?
  - Defamation
  - 2. Deflagration

  - 3. Detonation 4. Disruption
- 1-5. What feature of a low-explosive decomposition allows it to function as a propellant?
  - 1. The heat produced
  - 2. The gases produced
  - The force of detonation
  - 4. The force of disruption
- What characteristic of an explosive 1-6. reaction represents its potential for doing work?
  - 1. The heat produced
  - 2. The velocity of the reaction
  - The pressure developed
  - The time of the reaction

- 1-7. What term defines a measurement of the shattering ability of an explosive?
  - Brisance
  - 2. Deflagration
  - 3. Detonation
  - 4. Explosiveness
- 1-8. What term defines a measure of the energy necessary to initiate an explosive?
  - Ignition temperature 1.
  - 2. Sensitivity
  - 3. Stability
  - 4. Velocity
- 1-9. What conditions determine the behavior of an explosive material when it is heated?
  - The manner of confinement and its sensitivity
  - 2. Sensitivity and stability
  - 3. Rate and manner of heating and manner of confinement
  - 4. Sensitivity and rate and manner of heating
- 1-10. What type of explosive material has its chemical reaction time measured in feet per second?
  - 1. High explosive
  - 2. Low explosive

  - Primer
     Propellant
  - What is the most common method of initiating low explosives?
    - 1. Heat
    - 2. Influence
    - 3. Shock
    - Sympathetic
  - 1-12. What method of initiation explodes a small-explosive charge in contact with a larger, less sensitive explosive to cause its initiation?
    - 1. Heat
    - Influence
    - 2. 3. Shock
    - 4. Sympathetic
  - 1-13. What method of explosive initiation uses a percussion initiator?
    - 1. Heat
    - 2. Influence 3. Shock

    - 4. Sympathetic

- What term describes the chain 1-14. reaction that leads to the detonation of the main buster charge of a gun projectile?
  - Sympathetic explosion
     Booster train

  - 3. Explosive train
  - 4. Progressive explosion
- 1-15. What device is used to increase the shock of initiating explosives to the level necessary to explode the main charge?
  - 1. A focal cone
  - 2. A lead styphnate igniter
  - 3. An extension tube
  - 4. A booster
- 1-16. What is the function of an intermediate charge?
  - 1. To function between the booster and the main charge
  - 2. To detonate the booster
  - 3. To amplify the effect of the booster
  - 4. To cause a time delay in the chain reaction
- 1-17. What type of explosive is used in the igniter of a gun-propelling charge?
  - 1. Black powder
  - 2. Intermediate
  - 3. Nitrocellulose
  - 4. Primer
- What term defines the device used 1-18. to ignite a gun-propelling charge?
  - 1. Booster
  - 2. Detonator
  - 3. Extension tube
  - 4. Primer
- 1-19. What term defines the device used 1-26. to initiate a high-explosive bursting charge?
  - 1.Booster
  - 2. Detonator
  - 3. Extension tube
  - 4. Primer
- Primers are classified in what 1-20. manner?
  - 1. By the explosives they contain
  - 2. By the time they take to function
  - 3. By the method of initiation
  - 4. By the length of the primer tube

- 1-21. What is the common ingredient in and triple-based propellants?
  - Lead styphnate
     Nitrocellulose
     Nitroglycerine

  - 4. Nitroguanidine
  - 1-22. The propellant grains in a 5"/54 propelling charge are in which of the following forms?
    - 1. Cylindrical with one perforation
    - 2. Cylindrical with seven perforations
    - 3. Ball
    - 4. Flake
- 1-23. Cylindrical propellant grain sizes are normally stated in which of the following terms?
  - Burning rate
  - 2. Diameter
  - 3. Length
  - 4. Web thickness
- 1-24. What term defines a propellant grain with a surface area that increases as the grain burns?
  - 1. Ingressive
  - 2. Neutral
  - 3. Progressive
  - 4. Regressive
- What term defines the loading 1-25. process where high explosives in liquid form are poured into containers to solidify?
  - 1. Cast-loading
  - 2. Extrusion
  - 3. Pour-casting
  - 4. Press-loading
- What term defines explosives that easily absorb moisture?
  - 1. Hydro-absorbent
  - 2. Hydro-sensitive
  - 3. Hydroscopic
  - 4. Water soluble
- What is the oldest explosive known? 1-27.

  - Black powder
     Calloided cotton
     Saltpeter

  - 4. Sulfur

- 1-28.
  - 1. Heat only
  - 2. Moisture only
  - 3. Heat and moisture
  - 4. Heat and age
- What propellant designation is used to identify an SPDF type propellant 1-36. A Mk 58 marine location marker 1-29. mixed with potassium sulfate?

  - 1. M-6 2. M-6+2
  - 3. SPCF 4. SPDB
- What propellant designation identifies a nonhygroscopic, 1-30. diphenylamine-stabilized smokeless powder?

  - 1. SPDN 2. SPDF 3. SPDX

  - 4. SPWF
- 1-31. What is the most common type of initiating explosive in use today?
  - 1. DDNP
  - 2. Lead azide

  - 3. Lead styphnate 4. Mercury fulminate
- 1-32. Which of the following types of primary explosives can be readily 1-39. How is the color of a Mk 2 marine ignited by static discharges from illumination signal determined at the human body?
  - 1. DDNP

  - 2. Lead azide
    3. Lead styphnate
    4. Mercury fulminate
- Which of the following solvents should NOT be used to remove exudate?

  - Clean, hot water
     An alkaline preparation
  - 3. Acetone solvents
  - 4. Alcohol
- 1-34. What is the primary explosive ingredient in compositions A-3, B, and C?
  - 1. HMx
  - 2. PBX
  - 3. RDX
  - 4. TNT

- What condition(s) speed(s) the 1-35. What initiator activates the deterioration of smokeless powder? igniter battery of a Mk 58 mg igniter battery of a Mk 58 marine location marker?
  - Seawater 1.
  - A pull tape
     A twist key

  - 4. A transfer fuze
  - should burn for approximately what maximum number of minutes?
    - 20 to 30 min
    - 2. 30 to 40 min only
    - 3. 40 to 60 min only
    - 4. 30 to 60 min
  - 1-37. The pull ring of a Mk 6 marine location marker activates what device or solution?

    - Quick match
       90-sec delay fuze
    - 3. First candle starting mix
    - 4. The ignition squib
  - When conducting man-overboard 1-38. drills, you should use what marine location marker, if available?
    - 1. Mk 58 Mod 0 2. Mk 58 Mod 1

    - 3. Mk 6
    - 4. Mk 2
    - night?
      - 1. By the color of the paper cartridge
      - 2. By the number of indentations in the base of the cartridge
      - 3. By the texture of the closing wad
      - 4. By the outside texture of the paper cartridge
  - The star of a Mk 2 marine 1-40. illumination signal should burn for approximately what maximum number of seconds?
    - 6 sec 8 sec 1.
    - 2.
    - 3. 10 sec
    - 4 sec
    - The Mk 5 pyrotechnic pistol should be fired at what angle?
      - 1.
      - 2.
      - 75° 90° 3.

- 1-42. Unfired signals should NOT be left in the Mk 5 pyrotechnic pistol for with a Mk 1 Navy light that gives what reason?
  - 1. It is not a good practice
  - 2. The positive safety could malfunction
  - 3. The pistol and the signal are The pistol and the signal are required to be stored away from each other
  - 4. The pistol is always cocked when the breech is closed
- 1-43. What type of signal is produced by the Mk 1 Mod 1 marine illumination signal?
  - 1. A red parachute-suspended star only
  - 2. A red or green parachute-suspended star
  - 3. A red, green, or yellow 7- to 1-50 11-second star
  - 4. A free-falling white comet
- Which of the following signals is 1-44. NOT designed to be fired from the AN-M8 pyrotechnic pistol?
  - 1. Mk 1 Mod 0 marine illumination signal
  - 2. Mk 1 Mod 1 marine illumination signal
  - 3. Mk 2 marine illumination signal
  - 4. AN-M37A2 aircraft illumination signal
- 1-45. What color smoke is produced by the Mk 13 marine smoke and illumination 1-52 signal?
  - 1. Yellow
  - 2. Red
  - 3. Orange
  - 4. Green
- 1-46. At night, what feature identifies the flame end of a Mk 13 marine smoke and illumination signal?
  - 1. Three beads on the plastic cap
  - 2. A smooth plastic cap
  - 3. A single protrusion on the plastic cap
  - 4. A ridge cast into the signal body
- 1-47.The flame end of a Mk 13 marine smoke and illumination signal is ignited in what manner?
  - 1. By rubbing a scratching surface across an igniting compound
  - 2. With a twist igniter
  - 3. With a pull ring
  - 4. With a saltwater battery

- with a Mk 1 Navy light that gives off a vinegar smell?
  - It should be used as soon as 1. possible
  - It should be turned in as soon as possible
  - 3. It should be disposed of immediately
  - 4. Nothing
- 1-49. What total number of signals is contained in the Mk 79 Mod 2 personnel distress kit?
  - 1.
  - 2. 7
  - 3. 9
  - 4. 10
  - What color star signal is fired from the Mk 79 Mod 0 personnel distress kit?
    - 1. Green
    - 2. Orange
    - 3. Red
    - 4. White
- 1-51 If fired, a dented Mk 80 hand-fired signal poses what danger, if any?
  - 1. It may not shoot straight
  - 2. It may hangfire
  - 3. It may react violently
  - 4. None
- Ordnance handlers should be constantly aware of which of the following characteristics of pyrotechnics?
  - 1. Some may be activated by exposure to fresh water
  - 2. All are highly unstable
  - 3. All are very stable and require little care in handling
  - 4. Some are intended to burn with intense heat
- 1-53. Which of the following situations can cause the accidental activation of a pyrotechnic device during handling?

  - Exposure to fresh water
     Dents or cracks in the outer body
  - 3. Lack of proper grounding
  - 4. Exposure to nonorganic substances

- 1-54. Moisture can have which of the following effects on pyrotechnic devices?
  - It can make them more sensitive 1. and dangerous
  - It can make them less dependable
  - It can make them more difficult to ignite
  - Each of the above
- 1-55. Navy Pyrotechnics are designed to withstand which of the folllowing minimum/maximum temperature ranges?
  - -20°F to 100°F only 1.
  - 2.
  - -65°F to 100°F only -65°F to 160°F only 3.
  - -20°F to 165°F
- The smoke and fumes of Navy 1-56. pyrotechnics are non-toxic and cause only mild irritation to the eyes and nasal passages of personnel when exposed ian any concentration.
  - 1. True
  - 2. False
- When handled properly, Navy 1-57. ordnance ias relatively safe.
  - True
  - False 2
- 1-58. Ordnance safety regulations may be altered or waived, but only by area commanders.
  - 1.
  - True False 2.
- What factor causes the majority of 1-59. ordnance safety regulations to be written?
  - 1. Safety inspection results Actual disasters

  - The CNO's concern for safety
  - Ordnance specialists brainstorming
- 1-60. Personnel who routinely handle explosives must guard against what personal characteristic?
  - 1. Familiarity
  - 2. Laziness
  - 3. Forgetfulness
  - 4. Carelessness